

## WHAT IS CLAIMED IS:

1. A personal care composition comprising:

- (i) an unsaturated organic material with at least one olefinic double bond susceptible to degradation into a color bearing substance, the unsaturated material being selected from C<sub>10</sub>-C<sub>50</sub> terpenoids and C<sub>12</sub>-C<sub>48</sub> unsaturated fatty compounds, the C<sub>12</sub>-C<sub>48</sub> compounds being selected from the group consisting of fatty alcohols, fatty acids, fatty acid glycerides, fatty acid salts and combinations thereof;
- (ii) a substituted urea of general structure (I)



I

wherein R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> are selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, (R<sub>5</sub>)<sub>n</sub>OH, and mixtures thereof; R<sub>5</sub> is methylene, ethylene, propylene or combinations thereof, and n ranges from 1 to 6; and R<sub>4</sub> is (R<sub>5</sub>)<sub>n</sub>OH; and

- (iii) a cosmetically acceptable carrier.

2. The composition according to claim 1 wherein the substituted urea is hydroxyethyl urea.

3. The composition according to claim 1 wherein the unsaturated material is a glyceride selected from the group consisting of sunflower seed oil, safflower oil, linseed oil, borage oil, borage seed oil, coriander seed oil and triglycerides with conjugated linoleic acid residues.
- 5
4. The composition according to claim 1 wherein the unsaturated material is present in an amount from about 0.0001 to about 20% by weight.
5. The composition according to claim 1 wherein the substituted urea is present
- 10 in an amount from about 0.01 to about 20% by weight.
6. The composition according to claim 1 wherein the substituted urea relative to the unsaturated material is present in a weight ratio from about 10,000:1 to about 1:100.
- 15
7. The composition according to claim 1 wherein the unsaturated material has at least two olefinic double bonds.
8. The composition according to claim 7 wherein a pair of the at least two olefinic
- 20 double bonds are in a conjugated relationship.
9. The composition according to claim 1 wherein the unsaturated material is a conjugated linoleic acid.
- 25
10. The composition according to claim 1 wherein the unsaturated material has an Iodine Value ranging from about 20 to about 300.